

High-Density Polyethylene (HDPE)



Item Code	BD-1
MFI(190°C/5 Kg)	0.3-0.35
Ash (Muffle Furnance)	<2%



Item Code	BD-2
MFI(190°C/5 Kg)	0.5-0.7
Ash (Muffle Furnance)	<2%



Item Code	NHD-1
MFI(190°C/5 Kg)	1-1.2
Ash (Muffle Furnance)	<1%



Item Code	NHD-2
MFI(190°C/5 Kg)	1-1.4
Ash (Muffle Furnance)	<2%



Item Code	MHD-1
MFI(190°C/5 Kg)	1-1.5
Ash (Muffle Furnance)	<4%



Item Code	MHD-2
MFI(190°C/5 Kg)	1-1.5
Ash (Muffle Furnance)	<6%



Item Code	BHD-1
MFI(190°C/5 Kg)	0.8-1.2
Ash (Muffle Furnance)	<4%



Item Code	BHD-2
MFI(190°C/5 Kg)	1.2-1.5
Ash (Muffle Furnance)	<5%



Item Code	BHD-3
MFI(190°C/5 Kg)	2-2.7
Ash (Muffle Furnance)	<7%

High-Density Polyethylene (HDPE)



Item Code	Color HD(Blue)
MFI(190°C/5 Kg)	2-2.5
Ash (Muffle Furnance)	<5%



Item Code	Color HD(Green)
MFI(190°C/5 Kg)	2-2.5
Ash (Muffle Furnance)	<5%



Item Code	Color HD(Red)
MFI(190°C/5 Kg)	2-2.5
Ash (Muffle Furnance)	<5%



Item Code	Color HD(Yellow)
MFI(190°C/5 Kg)	2-2.5
Ash (Muffle Furnance)	<5%




Item Code	Color HD(Grey)
MFI(190°C/5 Kg)	2-2.5
Ash (Muffle Furnance)	<5%

Polypropylene (Homopolymer)



Item Code	PP Random
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<1%



Item Code	PP Natural Super
MFI (230°C/2.16 Kg)	5-8
Ash (Muffle Furnance)	<1%



Item Code	PP Natural Chini Dana
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<1%



Item Code	PP-A Natural Super
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<1%



Item Code	PP-A Natural
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<1%



Item Code	PP-A Natural (Moti Cutting)
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<1%



Item Code	PP-B Natural
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<1%



Item Code	PP-C Natural
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<1%



Item Code	PP-D1 Natural
MFI (230°C/2.16 Kg)	5-8
Ash (Muffle Furnance)	<1%

Polypropylene (Homopolymer)



Item Code	PP-D2 Natural
MFI (230°C/2.16 Kg)	5-8
Ash (Muffle Furnance)	<3%



Item Code	PP-A Milky
MFI (230°C/2.16 Kg)	4-7
Ash (Muffle Furnance)	<3%



Item Code	PP-B Milky
MFI (230°C/2.16 Kg)	10-12
Ash (Muffle Furnance)	<7%

Polypropylene Copolymer (PPCP)



Item Code	PPCP N1
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<1%



Item Code	PPCP N2
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<2%



Item Code	PPCP 1 Color
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<3%



Item Code	PPCP 2 Color (Green)
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<3%



Item Code	PPCP 2 Color (Red)
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<3%



Item Code	PPCP 2 Color (Orange)
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<3%



Item Code	PPCP 2 Color (Skyblue)
MFI (230°C/2.16 Kg)	8-12
Ash (Muffle Furnance)	<3%



Item Code	PPCP Black
MFI (230°C/2.16 Kg)	5-8
Ash (Muffle Furnance)	<4%